S/057/61/031/002/013/015
Free motion of particles in... S/057/61/031/002/013/015

$$\begin{cases} b_{1} = -r'_{0}z'_{0}, \\ b_{2} = r_{0}^{2} + r_{0}^{2}, \\ b_{3} = -r_{0}z'_{0} + 2r'_{0}z'_{0} - r'_{0}z'_{0} - \frac{e}{pc} \left[H_{\theta}^{0}\Phi_{0} - (r_{0}H_{r}^{0} - r'_{0}H_{\theta}^{0}) \frac{\partial \Phi_{0}}{\partial r'} \right], \\ b_{4} = -r_{0}r'_{0} - r'_{0}r''_{0} - \frac{e}{pc} (r'_{0}H_{\theta}^{0} - r_{0}H_{r}^{0}) \frac{\partial \Phi_{0}}{\partial z'}, \\ b_{3} = 2r_{0}z''_{0} - r'_{0}z'_{0} - \frac{e}{pc} \left[\left(-H_{r}^{0} - r_{0}\frac{\partial H_{r}^{0}}{\partial r} + r'_{0}\frac{\partial H_{\theta}^{0}}{\partial r} \right) \Phi_{0} - \left[(r_{0}H_{r}^{0} - r'_{0}H_{\theta}^{0}) \frac{\partial \Phi_{0}}{\partial r} \right], \\ b_{6} = -\frac{e\Phi_{0}}{pc} \left(\frac{r'_{0}}{r_{0}}\frac{\partial H_{s}^{0}}{\partial \theta} - r_{0}\frac{\partial H_{s}^{0}}{\partial r} \right). \end{cases}$$

The system of Eqs. (1,4) determines the particle path r_0 , z_0 and the system (1,5) the betatron oscillations around this path. In the general case it has a complex "wave form", the equation of which was solved by the Card 4/9

Free motion of particles in...

S/057/61/031/002/013/015 B124/B202

successive approximation method. The study of the path in the annular synchrocyclotron shows (equation

$$X \simeq -\frac{2aR_{s,N}}{N^2}\cos N\theta + \frac{a^2R_{s,N}^2}{2N^4}\left(n + \frac{5}{2}\right)\cos 2N\theta - s\frac{a^2R_{s,N}^2}{2N^4}\sin 2N\theta,$$

$$\alpha_{1,2} \simeq \mp \frac{N}{2}\left(\frac{2}{n + \frac{3}{2}}\right)^{1/2}\frac{1}{R_{s,N}}, \quad n > -\frac{3}{2}.$$
(2,20)

that the controlling magnetic field which periodically varies with the azimuth is to increase with the absolute value of the diameter to attain a simultaneous acceleration of particles with the same sign in opposite directions. Relation

 $K \simeq N \left(\frac{2}{n+\frac{3}{2}}\right)^{1/s} \left[1 + \frac{n+1}{N} \left(\frac{2}{n+\frac{3}{2}}\right)^{1/s}\right] \cdot$ (3,4)

is derived for the "utilization" coefficient of the magnetic field. The main characteristics of the betatron oscillations, i.e., the amplitude and frequency Q can be determined from the equations

Card 5X9

Free motion of particles in...

$$\frac{s / 00 / 7}{00 / 7} / 61 / 031 / 002 / 013 / 015$$

$$A_{4,k} \approx -3\delta_{k,0} (1 + \alpha H_{s,k}) - \alpha \left[H_{s,k} + r \frac{\partial H_{s,k}}{\partial r} + \alpha \sum_{m \neq 0} \frac{k - m}{m} H_{r,m} H_{r,k-m} - 2i \alpha \sum_{m \neq 0} \frac{H_{r,m} H_{t,k-m}}{m} \right] + \alpha^{2} \left[\sum_{m \neq k, 0} \frac{1}{m (k - m)} (6H_{s,m} H_{s,k-m} - 2H_{r,m} H_{r,k-m}) + \sum_{m \neq 0} \frac{1}{m^{2}} \left[H_{s,m} (7H_{s,k-m} + 4r \frac{\partial H_{s,k-m}}{\partial r} + r^{2} \frac{\partial r H_{s,k-m}}{\partial r^{2}} \right] \right],$$

$$- H_{r,m} \left[4r \frac{\partial H_{s,k-m}}{\partial x} + \alpha \sum_{m \neq 0} \frac{k - m}{m} H_{r,m} H_{s,k-m} + i \alpha \sum_{m \neq 0} \frac{H_{s,m} H_{s,k-m}}{m} \right] - \alpha^{2} \left\{ \sum_{m \neq k, 0} \frac{2H_{s,m} H_{s,k-m}}{m (k - m)} + \sum_{m \neq 0} \frac{1}{m^{2}} \left[H_{s,m} \left(2r \frac{\partial H_{s,k-m}}{\partial x} + r^{2} \frac{\alpha^{2} H_{s,k-m}}{\alpha^{2}} \right) - H_{r,m} r^{2} \frac{\alpha^{2} H_{s,k-m}}{\alpha^{2}} \right] \right\}; \qquad (4, 10)$$
Card 6/9

\$/057/61/031/002/013/015 B124/B202

Free motion of particles in...

and

$$B_{4,k} \simeq \alpha \left[2 \left(1 + \delta_{k,0} \right) \vec{H}_{r,k} + \rho \frac{\partial H_{r,k}}{\partial r} - \alpha \sum_{m \neq 0} \frac{k - m}{m} \vec{H}_{s,m} \vec{H}_{r,k-m} + 3i\alpha \sum_{m \neq 0} \frac{H_{s,m} H_{s,k-m}}{m} \right] - 2\alpha^{2} \left\{ \sum_{m \neq k,0} \frac{H_{s,m} H_{r,k-m}}{m (k-m)} + \sum_{m \neq 0} \frac{1}{2m^{2}} \left[\vec{H}_{s,m} \left(6\vec{H}_{r,k-m} + 2\rho \frac{\partial H_{r,k-m}}{\partial r} + \rho^{2} \frac{\partial^{2} \vec{H}_{r,k-m}}{\partial r^{2}} - \vec{H}_{r,m} \left(2\rho \frac{\partial H_{s,k-m}}{\partial r} + \rho^{2} \frac{\partial^{2} \vec{H}_{s,k-m}}{\partial r^{2}} \right) \right] \right\},$$

$$B_{5,k} \simeq \alpha \left[\left(1 - \delta_{k,0} \right) \vec{H}_{s,k} + \rho \frac{\partial H_{s,k}}{\partial r} - \alpha \sum_{m \neq 0} \frac{k - m}{m} \vec{H}_{s,m} \vec{H}_{s,k-m} \right] + \alpha^{2} \left\{ \sum_{m \neq k,0} \frac{H_{s,m} H_{s,k-m}}{m (k-m)} + \sum_{m \neq 0} \frac{1}{m^{2}} \left[\vec{H}_{s,m} \left(\vec{H}_{s,k-m} - 2\rho \frac{\partial H_{s,k-m}}{\partial r} - \rho^{2} \frac{\partial H_{s,k-m}}{\partial r} \right) \right] \right\}.$$

$$- \rho^{2} \frac{\partial^{2} H_{s,k-m}}{\partial r^{2}} + H_{r,m} \left(\rho \frac{\partial H_{s,k-m}}{\partial z} - \rho^{2} \frac{\partial^{2} H_{s,k-m}}{\partial r^{2}} \right) \right] \right\}.$$

$$(4,11)$$

derived. The betatron oscillations in the annular synchrocyclotron are dealt with for the general and two special cases, i.e., the sector-spiral-annular synchrocyclotron and the sector-radial-annular synchrocyclotron.

Card 7/0

89167

S/057/61/031/002/013/015 B124/B202

Free motion of particles in...

In the former case, the author proves mathematically that for the stability s must be $\geqslant 5$, hence the number of spirals in the "symmetrical" accelerator must be large: N $\geqslant 40$ and the design of the magnet thus becomes complicated. For the sector-radial-annular synchrocyclotron $K_{\min} \simeq 6$ was derived for the

CHICAGO DE LO CONTROL DE LO CONTROL DE LA CONTROL DE L

"utilization" coefficient of the magnetic field $K \simeq 2(1+\sqrt{N}) \simeq 2.4 \text{Vn}$. This can be especially used to calculate the possible parameters of the symmetrical annular synchrocyclotron. A Table shows the possible parameters of the magnetic field of the sector-radial-annular synchrocyclotron which were calculated from (3,4) and


$$Q_s^2 \simeq 2n, \quad Q_y^2 \simeq (1+2s^2) \frac{\sum_{m \neq 0} H_{s, m} H_{s, -m}}{n \sum_{m \neq 0} \frac{H_{s, m} H_{s, -m}}{m^2}}$$
 (4, 26)


For comparison, the numerical results are given in brackets. The author thanks A. A. Kolomenskiy for assistance and permanent interest in this paper. There are 1 table and 6 references: 3 Soviet-bloc and 3 non-Soviet-bloc.

Card 8/9

FATEYEV, A.V.; KAREL'SHTEYN, I.M.

Using polystyrene foam in the production of furniture. Der. prom. 12 no.11:15-16 N '63. (MIRA 17:1)





FATEYEV, A. V.

(Manual of examples and problems on the theory of electric drive).

(Moskva), Gosenergoizdat, 1951.

SO: MLRA, November 1952.

BOGORODITSKIY, N.P., professor; VASIL'YEV, D.V., professor; BAYDA, L.I.
dotsent; ODIETSOV, G.V., dotsent; SEMENKOVICH, A.A., dotsent: PATRIY,
A.V., dotsent; TURGRESON, R.I., datefit; ARANOVICH, B.I., starshiy
propodavatel'; GERTOR, D.S. starshiy propodavatel'; POVOLOTSKIY, Ta.A.,
propodavatel'.

Development of automatic control and telemechanics in the fifth
five-year plan. Avtom. 1 telem. 14 no.2 238-240 Mr-Ap '53.
(MIRA 10:3)

1. Leningradskiy elektrotekhnicheskiy institut im. V.I.Ul'yanova
(lenina)
(Antomatic gentrol) (Remote control)

Figure, A. 7. (Cand leck poly)

Dissertation: "Lietnods of petermining farameters of Correcting feedbacks for automatized systems." or feed poly institute of Automatics and Telementanics, acad polytoods, 24 Jun 54. (Jecnernyaya Loskva, Moscow, 15 Jun 54.)


Of: plik pl8, 23 bec 1954


TATEVEY. Aleksandr Vasil'yevich; SEMENOV, V.V., redaktor; ZABRODINA, A. A., tekhnicheskiy redaktor.

[Principles of the linear theory of automatic control] Osnovy lineinoi teorii automaticheskogo regulirovaniia. Moskva, Gos. energeticheskoe izd-vo, 1954, 295 p. (NIRA 8:2)

(Automatic control)







FATEYEV, A.V.

PHASE I BOOK EXPLOITATION

796

Verkholat, Mikhail Yefimovich and Fateyev, Aleksandr Vasil'yevich

- Analiz raboty i raschet elementov elektricheskogo privoda (Analysis of Operation and Design of Elements of Electric Drives) Moscow, Mashgiz, 1957. 105 p. 8,500 copies printed.
- Reviewers: Zusman, V.G., Candidate of Technical Sciences, and Naydis, V.A., Engineer; Ed.: Sabinin, Yu.A., Candidate of Technical Sciences; Ed. of Publishing House: Vasil'yeva, V.P.; Tech. Ed.: Sokolova, L.V.; Chief Ed. (Leningrad Division, Mashgiz): Bol'shakov, S.A., Engineer.
- PURPOSE: The monograph is intended for engineering and technical personnel engaged in machine-tool building and, chiefly, in the design of electric drives for metal-cutting machines. It can also be used by students in the machine-tool building departments of vtuzes.
- COVERAGE: The monograph presents an analysis of the operation of an automatic control system for the feed drive of a heavy horizontal boring machine. The

Card 1/5

Analysis of Operation and Design (Cont.)

796

effect of various compensating devices on the dynamic properties of the system is shown. Methods of designing electric drives with wide a speed range of the d-c prime mover are shown. The book explains the operation of compensating devices and gives methods for their selection. For purposes of illustration, an electric drive with a wide speed range for a type 265 heavy universal boring machine manufactured by the Stankostroitel'nyy zavod im. Sverdlova (Machine-tool Building Plant imeni Sverdlov) in Leningrad is discussed. The authors thank the chief designer of the Machine-tool Building Plant imeni Sverdlov, M.Ye. El'yasberg, for his help in preparing the book. There are 21 Soviet references, including 1 translation.

TABLE OF CONTENTS:

Foreword

3

Basic Symbols

5

Card 2/5


nalysis of Operation and Design (Cont.)	96	
	7	
ntroduction	9	
h. 1. Components and Control Circuits		
 c). Components and Control Circuits c). Circuit components of electric drives with a wide range of control circuits for electric feed drives 	13	
	17	
Ch. 2. Calculation of Static Conditions 3. Calculation of system components of an electric drive	17	
Ch. 3. Investigation of the Operation of a System Under Dyn	amic 26	
Conditions	26	
The second self-houst compensating devices	olr	
5. Selection of compensating devices	33	
parameters and determining the	eir	
parameters 6. Selection of compensating devices and determining the parameters for the feed-drive motor control system of the feed-drive motor control system.	a boring	
parameters for the recursive	53	
machine		
Card 3/5		

Analys	is of Operation and Design (Cont.)	79 6	
	Theoretical and experimental investigations	of the effect of	
	compensating devices on the dynamic propert Effect of a change in amplification coeffic	TED OT O' D'DOCT	
В.	amplidyne cross-circuit included in feedbac	86	
9.	amplidyne output voltage Increase of speed and improvement of dynami system by proper selection of time-constant		
	system by proper selection of the sections sections Effect of a change in primary circuit param		
10.	antihunting transformer on speed and dynamic	c stability of a	
11.	system Effect of a change in stabilization circuit	parameters along the	
	first and second derivatives of velocity wi	95	;
12.	Effect of a change in stabilization circuit current increase in the amplidyne armature	CIABB CTYCHTO ON AND	•
	dynamic stability of a system	96	,
Card	4/5		
			- 7-7

Analysis of Operation and Design (Cont.)	796	
13. Plotting transient response curves	98	
Conclusions	101	
Bibliography	107	
AVAILABLE: Library of Congress (TK4058.V42)		
	JP/mal 11/14/58	
Card 5/5		

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412510005-3



FATEYEY, A.V.

8(2)

PHASE I BOOK EXPLOITATION

SOV/2030

Vasil'yev, Dmitriy Vasil'yevich, Boris Afanas'yevich Mitrofanov, Grigoriy L'vovich Rabkin, Georgiy Nikanorovich Samokhvalov, Aleksandr Aleksandrovich Semenkovich, Aleksandr Vasil'yevich Fateyev, and Nikolay Ivankovich Chicherin

THE PROPERTY OF A LOCAL PROPERTY OF THE PROPERTY OF THE PROPERTY OF A SECOND CONTRACT OF THE PROPERTY OF THE P

Reschet sledysshchego privoda (Servodrive Design) Leningrad, Sudpromgis, 1958. 370 p. 8,000 copies printed. Errata slip inserted.

Resp. Ed.: S. Ya. Berezin; Ed.: Ye. N. Shaursk; Tech. Ed.: P. S. Frunkin.

PURPOSE: This book is intended for scientists, engineers, and students of wases.

COVERAGE: This book discusses the problems of designing electromechanical servodrives and gives examples of design from the point of view of the overall system and of the individual basic elements. The design of servodrive amplifiers, the selection and design of error-sensing devices, and the experimental determination of the transfer functions of the discrete links of a servodrive are given considerable attention in the book. Materials on the design of electromechanical servodrives are systematized and the design of servodrives with electronic and magnetic amplifiers and of servodrives with rotating amplifiers is discussed. These designs reflect the practical experiences of the authors in the development of servosystems. The authors

Card 1/5

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

SOY/2030 Servodrive Design (Cont.) thank I. A. Petrusenko, I. S. Rayner, N. M. Konovalova, L. A. Agarkova, and Yu. A. Yereneyev for their aid in preparing the book. There are 51 references: 47 Soviet, 1 German, and 3 English. TABLE OF CONTENTS: 3 Preface Ch. 1. Review of Excisting Methods of Designing a Linearized Servodrive 5 5 6 1-1. Nature of design 1-2. Frequency methods 12 1-3. Coefficient methods 1-4. Design methods based on the distribution of roots of the 13 characteristic equation Ch. 2. Selecting the Design Nothods and the Order of Design 17 2-1. Comparative evaluation of design methods 2 2-2. Selection of frequency design methods 22 2-3. Selection of control action and initial conditions 2-4. Order of servodrive design Card 2/5

·	
801/2030	
ervodrive Design (Cont.)	28
h. 3. Selection of the Parameters of Basic Servodrive Elements	28 28
h. 3. Selection of the Parameter	
3-1. Selection of the type of current 3-1. Selection of the type of current 3-2. Selection of gear ratios and the type of reduction unit 3-2. Selection of gear ratios and the servementor	30
3.2 Selection of gent ratio	32 48
3-2. Selection of the capacity of the servemeter 3-3. Selection of the capacity of the servemeter functions of the meter	46
3-3. Selection of the capacity of the selections of the motor 3-4. Determination of the transfer functions of the motor	54
5-4. Determination of the type of sensing elements 5-5. Selection of the type of sensing elements	62
3-5. Selection of the type of seminary devices for servodrives 3-6. Selection of suriliary devices for servodrives	
3-0. Beleggion of	80
a material formation and the control of the control	80
Th. 4. Servodrive Amplifiers 4-1. Selection of the type of amplifier 4-1. Selection of the type of amplifier	
4-1. Selection of the same and determination of initial data for the	83
4-2. Rotating application	85
design of pressplifters with the servomotor	91
4.3. Connecting the amplitude	
	133
t a Magnatta Millitar	169
4-5. Semiconductor emplifiers	
Aug Pond and	209
Ch. 5. Selection and Design of Error-sensing Devices	211
Ch. 5. Selection and Design of mirror-sensing devices 5-1. Methods of selecting error-sensing devices	
5-1. Methods of selecting error-sensing devices 5-2. Selection of the parameters of error-sensing devices 5-2. Selection of the parameters of error-sensing devices	
5-2. Selection of the persectors of effoliated and phase-frequency by means of logarithmic amplitudes and phase-frequency	211
characteristics	_
Card 3/5	

S0₹/203	0	
	J	П
ervodrive Design (Cont.)	of	
5-3. Selection of the parameters of error-sensing devices by means	260	
5-3. Selection of the parameters of	200	ı
5-3. Selection of the parameteristics amplitude-phase characteristics on the design of servodrives by the probability characteristics. 5-4. On the design of servodrives by the demands of dynamic accuracy and noise and the demands of dynamic accuracy.	v 277	H
5-4. On the design of servourives and the demands of dynamic accuracy	y 211	
		ı
Th. 6. Experimental Determination of the Parameters of Transfer Function 6. Experimental Determination of a Servodrive	;10Ds	
Everymental Determination of the Parameter	298	1
Th. 6. Experimental Determination of a Servodrive of the Discrete Links of a Servodrive	29 8	
A mandage of existing mountains	he	
wethods of experimental determination of the links of a		i
transfer functions	305	
servodrive .	325	
a commendation Total ED	326	
Ch. 7. Examples of Servodrive Design 7-1. Example of static design of a 4-watt servodrive with	700	
A 1 EASEDIA OF BREATO TO THE PARTY OF THE PROPERTY AND ATOM	330	
7-2. Example of static design of a and h-watt a-c motor		
7-2. Example of static design of a tachometric actor electronic magnetic amplifier and h-watt a-c motor electronic magnetic amplifier and actor evidence of the design of a two-reading servodrive with magnetic and 500-watt a-c motor	734	
	22 4	
7-3. Example of the design of a servodrive with electronic and 7-4. Example of the design of a servodrive with electronic and	345	
The Everyle of the design of a south	242	
rotating emplifiers		
Card 4/5		
Cara 4/		

Servodrive Design (Cont.)	apv/2030
7-5. Example of the design of a servodrive with rotating amplifiers	magnetic and
Bibliography	366
AVAILABLE: Library of Congress	•
	**/
Card 5/5	IK/mg 10- 29- 59

FATEYEV, A.V.
BOGORODITSKIY, N.P.; YEROLLIN, N.P.; PATHYEV, A.V.; VASIL'YEV, D.V.; ODINTSOV,
G.V.; GEKTOR, D.S.; APIAKSIN, B.E.

Professor V.A. Timofeev, Elektrichestvo no.2:96 F '58. (MIRA 11:2)

(Timofeev, Vladimir Andreevich, 1897-)

SOV/146-58-4-11/22

Fateyev, A.V., Doctor of Technical Sciences, Professor, Vavilov, A.A., Candidate of Technical Sciences, Docent, Granstrem, M.P., and Kotchenko, F.F., Engineers AUTHORS:

An Automatic Quick-Response Compensator Developed on

the Basis of the EPP-09 Instrument TITLE:

Izvestiya vysshikh uchebnykh zavedeniy, Priborostroye-PERIODICAL:

niye, 1958, Nr 4, pp 60-68 (USSR)

The automatic, quick-response compensator EPP-09, produced by the Soviet industry, does not meet the quick-ABSTRACT:

response requirements for laboratory and production purposes, since the indicator travels over the dial within 1 second, while in some cases a travelling speed of 0.2 - 0.3 seconds is required. The solution of this problem presents great difficulties, since re-adjustments must be kept at a minimum and must not exceed 0.2 - 0.3% of the dial length. The minimum zone of nonsensitivity must not exceed 0.1 - 0.2% of the dial

length. The experience of a number of foreign enter-

prises proves the possibility of creating a device which Card 1/4

SOV/146-58-4-11/22 An Automatic Quick-Response Compensator Developed on the Basis of the EPP-09 Instrument

[2007] 经利用证据 中国 (1907] (1907) [1907]

provides the required quick-response. In this paper. the authors describe the servo mechanism for the quick-response automatic compensator EPP-09 with a measuring range of 0 - 10 millivolts and 0 - 500 microvolts, and present also some results of the experimental investigation of the model of the automatic, quick -response compensator. It has an indicator travelling time of 0.25 - 0.3 seconds with a maximum readjustment 0.2 - 0.3% of the dial length. The improvevalue of ments were developed at the Kafedra avtomatiki i telemekhaniki Leningradskogo elektrotekhnicheskogo instituta imeni V.I. Ul'yanova (Lenina) (Chair of Automation and Remote Controls of the Leningrad Electrical Engineering Institute imeni V.I. Ul'yanov (Lenin)). Figure 1 shows the principal circuits of the servo mechanism. The motor RD-09 which was originally used, was replaced by a DARM-4/2 motor, because the ASM-100 motor did not provide the required quick-response

Card 2/4

SOV/146-58-4-11/22

An Automatic Quick-Response Compensator Developed on the Basis of the EPP-09 Instrument

A THE POST OF THE PROPERTY OF THE PROPERTY OF THE POST OF THE POST

(only 0.5 seconds). The control winding of the DARM-4/2 motor is fed from the push-pull output stage of an electronic amplifier with 6P3S tubes. Figure 3 shows the circuit diagram of the electronic amplifier of the automatic quick-response compensator for the measuring range of 0 - 10 millivolts, while the amplifier of the range of 0 - 500 microvolts is shown in Figure 4. Each amplifier is built with two 6N2P, one 6N1P and two 6P3S tubes. Figure 5 shows a photograph of the electronic amplifier. Figures 6, 7, 8, 9 show oscillograms and diagrams of the functioning of the servo mechanism. The zone of non-sensitivity is 0.1 -0.2% of the dial length. The authors recommend the servo mechanism also for other automatic, quick-response compensators produced by the Soviet industry. There are 1 photograph, 3 circuit diagrams, 1 graph, 4 oscillograms, 2 diagrams and 3 references, 2 of which are Soviet and 1 English.

Card 3/4

SOV/146-58-4-11/22

An Automatic Quick-Response Compensator Developed on the Basis of

the EPP-09 Instrument

ASSOCIATION: Leningradskiy elektrotekhnicheskiy institut imeni V.
I. Ul'yanova (Lenina) (Leningrad Electrical Engineering Institute imeni V.I. Ul'yanov (Lenin))

April 13, 1958 SUBMITTED:

Card 4/4

CIA-RDP86-00513R000412510005-3" APPROVED FOR RELEASE: 08/22/2000

507/105-58-9-34/34 Ivanov, V. I., Professor, Doctor of Technical Sciences, Vasil'yev, D. V., Professor, Doctor AUTHORS: of Technical Sciences, Fateyev, A. V., Professor, Doctor of Technical Sciences, Odintsov, G. V., Docent, Candidate

of Technical Sciences

Bibliography (Bibliografiya) K.V.Bulgakov: Power Supply TITLE:

for Industry (K.V.Bulgakov: Energosnabzheniye promyshlennykh

predpriyatiy)

Elektrichestvo, 1958, Nr 9, pp 96 - 96 (USSR) PERIODICAL:

This is a review of a book published in 1957 by "Gosenergo-ABSTRACT:

izdat", . 343 pp., 11,85 Roubles. Power supply for industry is correctly described as a many-sided problem which

must be solved as a whole. The book is intended for the engineer concerned with the design of power plants for

industry and with their operation, but may also

serve as a textbook for students working in this field. It will be of particular value since at present there is no other book on this subject. The book is on a high

scientific and theoretical level. The subject dealt Card 1/2

Bibliography. K.V.Bulgakov: Power Supply for Industry S07/105-58-9-34/34

with is scientifically arranged, it complies with the present state of power engineering, and is simply and lucidly written. Some minor imperfections, as the too small number of numerical examples and reference data, etc., could be easily removed with the next edition.

ASSOCIATION: Leningradskiy elektrotekhnicheskiy institut im. V.I.

Ul'yanova (Lenina) (Leningrad) Electrical Engineering In-

stitute im. V.I. Ul'yanov (Lenin))

Card 2/2

USCOMM-DC-60.781

FATEYEV, A.V.

SOV/144-58-9-18/18

AUTHOR: Gikis, A. F., Candidate of Technical Sciences, Docent

TITLE: Inter-University Scientific Conference on Electric

Measuring Instruments and Technical Means of Automation

(Mezhvuzovskaya nauchnaya konferentsiya po

elektroizmeritel'nym priboram i tekhnicheskim sredstvam

avtomatiki)

PERIODICAL: Izvestiya Vysshikh Uchebnykh Zavedeniy, Elektromekhanika,

1958, Nr 9, pp 130-135 (USSR)

ABSTRACT: The conference was held at the Leningradskiy

elektrotekhnicheskiy institut imeni V. I. Ül'yanova (Lenina) (Leningrad Electro-technical Institute imeni V. I. Ül'yanov (Lenin)) on November 11-15, 1958. The representatives of eleven higher teaching establishments and three research institutes participated and a large number of specialists of various industrial undertakings

were present.

Professor A. M. Rozenblatt (Institute of Automation and Telemechanics, Ac.Sc. USSR) presented an exhaustive review paper on "Application of magnetic amplifiers in automation and metering". Magnetic amplifiers permit

automation and metering". Magnetic amplifiers permit Card 1/13 execution of five basic logical operations and, therefore,

SOV/144-58-9-18/18

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

STATE IN THE PROPERTY AND ADDRESS OF THE ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY O

they can be applied in discrete operation automation equipment.

Professor A. V. Fateyev (Leningrad Electro-Technical Institute imeni V. I. Ul'yanov (Lenin)) read the paper "Present state and prospects in the development of the theory and technique of automatic control", reviewing present trends in the theory of automatic regulation, development of the theory of linear systems of automatic control and giving an outline of the present state of the theory of non-linear systems, systems of optimalizing control, self-setting systems and impulse control systems.

Docent F. A. Stupel' (Khar'kov Polytechnical Institute) in his paper "Present-day designs of an electromagnetic automation mechanisms" outlined the characteristics of individual types of electro-magnetic mechanisms and the main trends in the design of electro-magnetic contactors, relays, polarized relays, fast electromagnets, electro-magnetic couplings and special electro-

Card 2/13 magnetic mechanisms for programme control.

SOV/144-58-9-18/18

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

Professor N. G. Boldyrev (Leningrad Electro-Technical Institute) in his paper "Stability of discrete automatic systems with back coupling" has shown that the final automatic device can always be synthesized from elements possessing only two states, 0 and 1, which are linked into a finite number of elementary circuits. Docent A. M. Melik-Shakhnazarov (Azerbaydzhan Industrial Institute imeni M. Azizbekov) in his paper "Problems of automation of a.c. compensation mechanisms" gave a systematic review of the problem and quoted practical examples of auto-compensation equipment used in various branches of engineering. Docent A. S. Rozenkrants (Ivanovo Power Institute imeni V. I. Lenin) in his paper "Automatic a.c. bridges and compensators" emphasized the acute demand for automatic instruments for comparing alternating currents. The fields of application of such instruments could be considerably extended if they would be designed for

Card 3/13 operating at a wider frequency range. He considered it

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

advisable to base the automation of such comparison instruments on using a phase sensitive indicator and has described a bridge of this type which was built at the Ivanovc Power Institute. Yu. A. Skripnik (Kiyev Polytechnical Institute) reported on a phase sensitive switch indicator of semi-equilibrium of a.c. bridges. Professor L. F. Kulikovskiy (Kuybyshev Industrial Institute imeni V. V. Kuybyshev) presented a paper on "Some new types of a.c. compensators".
Assistant Ye. I. Tenyakov (Novocherkassk Polytechnical Institute imeni S. Ordzhonikidze) presented the paper "Certain problems of designing automatic d.c. potentiometers of high accuracy with numerical reading off". Aspirant D. I. Malov (Novocherkassk Polytechnical Institute) presented the paper "High accuracy automatic d.c. bridge with numerical reading off". Assistant V. A. Ivantsov (Novocherkassk Polytechnical Institute) presented the paper "Measuring element Card 4/13 for accurate automatic comparison metering instruments

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

with numerical reading off"; the sensitivity threshold of such instruments must be of the order of 10 μV and 30 μV in a bridge-circuit in the case of an input resistance of at least 100 kOhm. The response time should be of the order of 5 msec. The design of the instrument described by him is based on an a.c. amplifier, whereby the d.c. voltage to be measured is transformed into a.c. by a vibrator with a noise level of the order of 1 $\mu V_{\rm o}$. The instrument is phase sensitive and stability against overloads was achieved by using a 2-way diode limiter. Docent B. M. Smolov (Leningrad Electro-Technical Institute) read the paper "Non-linear electronic voltage transformers with a numerical output", in which he considered two methods of transforming voltages into a numerical code.

V. P. Skuridin (Ural Polytechnical Institute imeni S. M. Kirov) presented the paper "New counters based Card 5/13 on polarized relays". These do not suffer from the

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

disadvantage of existing counters, namely, that the results are lost if the current supply is accidentally interrupted. Professor A. V. Frenke and Docent Ye. M. Dushin (Leningrad Electro-technical Institute) presented the paper "Metering transducers for automatic instruments with discrete types of recording". Candidate of Technical Sciences V. B. Ushakov and P. N. Kopay-Gora (Scientific Research Institute for Computers) presented the paper "Computing equipment for automatic centralized control of production parameters". Candidate of Technical Sciences V. B. Ushakov presented the paper "Certain trends in the development of analogue computers and of computing devices intended for use in industry". Candidate of Technical Sciences B. V. Shamray (Leningrad Electrotechnical Institute) presented the paper "Low inertia transducer of thermo e.m.f. into a d.c. voltage", operating with magnetic elements of an input resistance Card 6/13 of 100 Ohm, a signal of 0.001 V and an output voltage

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

> of 40 V with a resistance of 4000 Ohm. Docent G. A. Alizade (Azerbaydzhan Industrial Institute nmeni M. Azizbekov) presented the paper "New d.c. metering transducers with a high input resistance" (phase sensitive transducer in d.c. compensators and particularly its application in the chemical industry). Docent P. V. Novitskiy (Leningrad Electrotechnical Institute) presented the paper "Apparatus for measuring vibration parameters" described a piezo-electric accelerometer with a range of 10 to 10 000 c.p.s., a sensitivity of 3 to 7 mV/m/sec² with an error of up to 2.5%.

Candidate of Technical Sciences D, A. Borodayev (Ural Polytechnical Institute) presented the paper "Instruments for ultra-sonic monitoring of the level and the pressure of liquids" which was one of a series of papers on measuring non-electrical magnitudes by Card 7/13 electric methods.

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

Corresponding Member of the Ac.Sc. USSR Professor K. B. Karandeyev presented the paper "Application of semi-conductors for metering purposes".

Assistant G. N. Novopashennyy presented the paper "Metering amplifiers with semi-conductor triodes".

Docent Ya. V. Novosel'tsev, Assistants N. A. Smirnov, Ye. Ye. Afanas'yev and Ye. P. Ugryumov (Leningrad Electrotechnical Institute) presented the paper "Semi-conductor precision instrument for measuring the frequency by the method of counting impulses".

The described instrument enables measuring the frequency of harmonic oscillations which occur once only; the frequency of the input oscillations is amplified 24 times and the error in measurement does not exceed 2 x 10⁻⁵.

A number of papers were presented on measuring and producing instruments based on recently discovered physical phenomena.

Professor Ye. G. Shramkov and Junior Scientific Worker S. A. Spektor (Leningrad Polytechnical Institute imeni M. I. Kalinin) presented the paper "Measurement

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

of large d.c. currents by the method of nuclear magnetic resonance", which permits measuring with an error below 0.1%; the built experimental instrument was suitable for measuring currents up to 35 000 A with an error not exceeding 0.05%.

Professor N. N. Shumilovskiy (Moscow Lenin Order Power Institute) presented the paper "Basic trends of development of radio-active methods of automatic control of production processes"; he dealt with sources of metering errors and methods of improving the accuracy.

Professor Ya. Z. Tsypkin (Institute of Automatics and Telemechanics, Ac.Sc. USSR) presented the paper "On certain features and potentialities of impulse automatic systems". He dealt particularly with "compensation" delay in impulse automatic systems, impulse extremal and self-setting systems and basic

Card 9/13

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

trends in the development of impulse circuits.

A STRUCTURE OF THE STRU

SOV/144-58-9-18/18

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

Assistant M. M. Fetisov (Leningrad Polytechnical Institute) presented a paper on the "Basic problems of the theory of automatic electric metering instruments with reverse transformation for measuring non-electrical magnitudes." The method is based fundamentally in compensating the measured non-electrical magnitude with a similar magnitude produced by means of a transducer. Professor R. R. Kharchenko (Moscow Lenin Order Power Institute) presented the paper "Determination of the dynamic errors of a magneto-electric oscillograph by means of analogues".

N. F. Suvid (Kiyev Polytechnical Institute) presented the

N. F. Suvid (Kiyev Polytechnical Institute) presented the paper "Measurements using magnetic bridges". In addition to this, three further papers were read on magnetic measurements.

Candidate of Technical Sciences P. G. Nikitin and Senior Lecturer D. A. Bezukladochnikov (Ural Polytechnical Institute) read the paper "Measuring the potential of a magnetic field by means of bismuth resistance and Hall Card 10/13 e.m.f. pick-ups"; he described a new method of producing

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

bismuth spirals by electrolytic deposition of tismuth inside grooves of a base made of insulation material. Senior Lecturer V. A. Ferents (Kazan' Aviation Institute) presented the paper "High sensitivity magnetic gas analysers for oxygen"; the increased sensitivity was achieved by separating the heat sensitive element from the heating element.

公司,我们是我们的证明,这个是是是不是的,我们们们们们们们的对于,我们们们是是是是不是是是是是是是我们的,我们也是是我们的是是我们的的,我们们们们们们们们们们们们们们

Docent P. P. Ornatskiy (Kiyev Polytechnical Institute) presented the paper "Measurement of electrical magnitudes at infra-low frequencies by electric indicating instruments of various systems"; this is of interest since there is a demand for instruments operating at frequencies of 1.5 to 0.5 c.p.s.

Docent R. I. Yurgenson (Leningrad Electrotechnical Institute) presented the paper "Methods of ensuring stability against interference in discrete selection systems" in which he dealt with the principles of ensuring active and passive stability against interference in the transmission of

Card 11/13 codes used for transmitting discrete data.

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

Docent Ya. V. Novosel'tsev (Leningrad Electrotechnical Institute) presented the paper "Averaging, differentiation—and smoothing of time functions reproduced by electric signals".

B. S. Ryabyshkin and V. P. Filippov (Siberian Physico—Technical Scientific Research Institute) presented the paper "Electronic analogue correlator"; this was developed at the Tomsk Ionospheric Station for calculating the correlation functions in studying the winds in the ionosphere.

Docent L. I. Stolov (Kazan Aviation Institute) presented the paper "Certain characteristics of asynchronous micro-motors" (see pp 38-44 of this issue) in which he considers motors with symmetrical windings. The mechanical and the speed characteristics of such motors are investigated on the basis of equations of a 4-pole.

Card 12/13 At the closing session the results were summarized of this conference and resolutions were passed. In particular it was decided to publish the transactions

SOV/144-58-9-18/18

Inter-University Scientific Conference on Electric Measuring Instruments and Technical Means of Automation

of this conference.

ASSOCIATION: Novocherkasskiy politekhnicheskiy institut (Novocherkassk Polytechnical Institute)

Card 13/13

USCOMM-DC-60,873

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

FATEYEV, A.V.

PHASE I BOOK EXPLOITATION 8(2)

SOV/1953

Anisimov, Vladimir Ivanovich, Aleksandr Aleksandrovich Vavilov, and Aleksandr Vasil'yevich Fateyev

Sbornik primerov i zadach po lineynoy teorii avtomaticheskogo regulirovaniya. (Collection of Examples and Problems on Linear Theory of Automatic Control) Moscow, Gosenergoizdat, 1959. 254 p. 10,000 copie printed.

Ed. (Title page): A.V. Fateyev, Doctor of Technical Sciences, Pro-fessor; Ed. (Inside book): V.G. Kepperman; Tech. Ed.: Ye.M. Soboleva.

RPOSE: This collection of examples and problems may be used by students of higher technical schools and by engineering and technical personnel engaged in the design and study of automatic control systems. This book is intended to help the reader to acquire experience in applying linear automatic control theory to the solution of practical problems. The book may be used by students taking the course in automatic control offered by the Laningradaking taking the course in automatic control offered by the Leningradskiy elektrotekhnicheskiy institut (Leningrad Electrical Engineering Institute imeni V.I. Ul'yanov).


Card 1/4

COVERAGE: Particular attention is given to problems in automatic control of voltages, currents, power, position, speed, etc. Problems of obtaining equations and transfer functions of elements and systems of automatic control are also discussed. The authors thank A.A. Voronov, Doctor of Technical Sciences, and Docent V.G. Kepperman, Candidate of Technical Sciences, for reviewing the manuscript. There are 8 Soviet references (including two translations). TABLE OF CONTENTS: Foreword Ch. I. Equations and Transfer Functions of Automatic Control Systems 1. Equations and transfer functions of elements of automatic control systems 2. Equations and transfer functions of automatic control systems 3. Equations and transfer functions of automatic control systems	Sollection of Examples (Cont.)	1953
Foreword Ch. I. Equations and Transfer Functions of Automatic Control Systems 1. Equations and transfer functions of elements of automatic control systems 2. Equations and transfer functions of automatic control 62	COVERAGE: Particular attention is given to problems in automatic control of voltages, currents, power, position, speed, etc. Problems of obtaining equations and transfer functions of elements and systems of automatic control are also discussed. The authorizant A.A. Voronov, Doctor of Technical Sciences, and Docent V.G. Kepperman, Candidate of Technical Sciences, for reviewing manuscript. There are 8 Soviet references (including two	
Ch. I. Equations and Transfer Functions of Automatic Control Systems 1. Equations and transfer functions of elements of automatic control systems 2. Equations and transfer functions of automatic control 62		3
1. Equations and transfer functions of elements of automatic control systems 2. Equations and transfer functions of automatic control 62	Ch. I. Equations and Transfer Functions of Automatic Control	5
2. Equations and transfer functions of automatic desired	Systems 1. Equations and transfer functions of elements of automatic	5
	2. Equations and transfer functions of automatic communications	62
	Card 2/4	

Collection of Examples (Cont.) SOV/1953	
Ch. II. Investigation of Stability of Automatic Control Systems by	118
means of the Hurwitz criterion Transfer of stability of automatic control systems	118
through determining stability regions by means of one	122
	130
6. Investigation of stability of automatic control systems	136
a) Frequency characteristics of elements and systems of	136
b) Investigation of automatic control system stability	171
c) Investigation of automatic control system stability by the method of logarithmic frequency characteristics	174
Ch. III. Investigation of Quality of Automatic Control Systems 7. Construction of a transient response curve for automatic control systems by means of direct solution of differential equations Card 3/4	179

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

	8
	- 19
Collection of Examples (Cont.)	SOV/1953
 Construction of a transient response actual frequency characteristic Determination of the ratio of control: 	189 led variable to
reference input by means of frequency	
Ch. IV. Selection of Automatic Control System Satisfying the Given Quality Indices Process	em Parameters s of a Transient 207
Appendixes	247
Bibliography	255
AVAILABLE: Library of Congress	
Card 4/4	JJP/afh 8-10-59



大学,我们就是一个人,我们就是一个人,我们是一个人,我们是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是我们的一个人,我们就是

FATEYEV, A.V., doktor tekhn. nauk, prof.

Present status and future development of the theory and technological equipment of automatic control. Isv. vys. ucheb. sav.; prib. no.2:6-16 (MIRA 13:2)

1. Leningradskiy elektrotekhnicheskiy institut im. V.I. Ul'yanova (Lenina) Rekomendovana kafedroy avtomatiki i telemekhaniki. (Automatic control)

。""全经国际和1888的大型是**可以**是在1994年,这种国际的国际的国际的国际的国际,但是是一个国际的国际,但是一个国际的国际,但是一个国际国际的国际,但是一个国际国际的

FATEYEV, Aleksandr Vasil'yevich, doktor tekhn.nauk, prof.; OLEYNIKOV, Viktor Alekseyevich, kand.tekhn.nauk, dotsent; ZOTOV, Nikolay Sergeyevich, assistent; POLYAKOV, Yuriy Andreyevich, inzh.

System for the stabilization and regulation of the speed of a d.c. motor using a tachometer generator. Izv. vys. ucheb. zav.; elektromekh. 3 no.12:58-64 '60. (MIRA 14:5)

1. Zaveduyushchiy kafedroy avtomatiki i telemekhaniki Leningradskogo elektrotekhnicheskogo instituta (for Fateyev). 2. Leningradskiy elektrotekhnicheskiy institut (for Oleynikov). 3. Kafedra avtomatiki i telemekhaniki Leningradskogo elektrotekhnicheskogo instituta (for Zotov, Polyakov).

(Electric motors, Direct current)


RAZYGRAYEV, Arkadiy Mikhaylovich; DVORIN, Zinoviy Abramovich; GOL'TSIKER,
David Girshevich; BAKHAREV, Sergey Aleksandrovich; FATEYEV, A.V.,
doktor tekhn. nauk, reteenzent; VOROSHILOV, M.S., kand. tekhn.nauk,
red.; BORODULINA, I.A., red. izd-va; SHCHETININA, L.V., tekhn.red.

[Design and assembly of the electrical equipment of metal-cutting, machines] Proektirovanie i montazh elektrooborudovaniia metallorezhushchikh stankov. Izd. 2., dop. i perer. Moskva, Gos.nauchmotakhn. izd-vo mashinostroit. lit-ry, 1961. 303 p.

(MIRA 14:6)


and the control of th


(Gutting machines-- Electric equipment)



"APPROVED FOR RELEASE: 08/22/2000 CI

CIA-RDP86-00513R000412510005-3





···· 关于自己是是这种是我们的是是这种的情况不是我们的表现的是,不是不知识的的是是是是不是不是,我们	是多数,不管是是一个一个一个,这个一个是一种的种种,但是他们是是一种	
COLON XPECTROCKS SHIPS TO SEE S	Haddyddyn Llyddir by'n Arill Arill 30, ab Ch. Bagraniau, Frietty Bayer ang, gallandda anniae a	SPOSS
		f' 2)
Special Problems of (Cont.)	SOV/5533	
2. Modern trends in the field of nonregulated electri	ic drives 6	
3. Regulated electric drives	7	
4. Servomechanism drive and programming control	systems 11	
5. Electric-drive control systems	14	
Ch. I. Regulated A-C Drive Systems With Frequency	Control 17	
1. Electromechanical drive systems with frequency		4
2. Basic characteristics of drive systems with requency		- 11
generators ·	26	
3. A-c drive systems with an excavator characteris		
4. Basic systems of vacuum-tube, gas-filled, and s		
conductor frequency convertors	53	
5. Gas-filled frequency convertors with a mixed cur	rent	
commutation	54	1 6
6. Semiconductor frequency convertors	67	C.
Card-4/8		
	,	
		t t

SHMYREV, Aleksandr Nestorovich; NORENSHIL'DT, Vera Aleksandrovna; IL'INA, Sof'ya Glebovna; FATEYEV, A.V., doktor tekhn. nauk, prof., retsenzent; KHOLODILIN, A.N., kand. tekhn. nauk, retsenzent; LEVITIN, S.G.,inzh., retsenzent; GERASIMOV, A.V., kand. tekhn. nauk, nauch.red.; CHERTKOV, R.I., kand.fiz.-mat.nauk, nauch.red.; KAZAROV, Yu.S., red.; ERASTOVA, N.V., tekhn.red.

。 我就是自己的最后的,我们就是这种人的的,我们就是有的的,我们是是这种人的,我们就是这个人的,我们就是这个人的,我们就是这个人的。"

[Ship stabilizers] Uspokoiteli kachki sudov. Leningrad, Gos.soiuzhoe izd-vo sudostroit. promyshl., 1961. 515 p. (MIRA 14:12) (Stability of ships)

GANDIN, L.S.; FATEYEV, A.V.

Analyzing the accuracy of various interpolation methods. Trudy
GGO no.121:19-36 '61. (MIRA 15:5)

(Meteorological stations) (Interpolation)

CHERNORUTSKIY, G.S.; FATEYEV, A.V., prof., doktor tekhn. nauk, retsenzent; PECHERINA, I.N., kand. tekhn. nauk, retsenzent; DUGINA, N.A., tekhn. red.

[Electromechanical automatic control systems: Structure of automatic control systems. Transfer characteristics of electromechanical elements. Calculation of the control error]Elektromekhanicheskie sistemy avtomaticheskogo regulirovaniia: Struktura CAP. Peredatochnye svoistva elektromekhanicheskikh elementov.

Raschet oshibki regulirovaniia. Moskva, Mashgiz, 1962. 126 p.

(MIRA 16:3)

(Automatic control)

ANTOMONOV, Yuriy Gur'yevich; SAZONOV, A.Ye., dotsent, retsenzent;

FATEYEV, A.V., prof., retsenzent; OLEYNIKOV, V.A., nauchnyy red.;

NIKITINA, M.I., red.; FRUMKIN, P.S., tekhn. red.

[Automatic control systems using electronic calculating machines; synthesis of systems optimum in high-speed operation] Avtomaticheskoe upravlenie s primeneniem vychislitel'nykh mashin; sintez sistem, optimal'nykh po b strodeistviiu. Leningrad, Sudpromgiz, 1962. 339 p. (MIRA 15:5)

5-4 化环状物理 1-10 化环境性 1-10

(Automatic control)

OLEYNIKOV, Viktor Alekseyevich; ZOTOV, Nikolay Sergeyevich; FATEYEV,

A.V., doktor tekhn. nauk, prof., retsenzent; KOTCHENKO, P.F.,
inzh., nauchnyy red.; ERUSKIN, D.M., ved. red.; SAFRONOVA,
I.M., tekhn. red.

[Automatic control of technological processes in the petroleum and petrochemical industries] Avtomaticheskoe regulirovanie tekhnologicheskikh protessov v neftianoi i neftekhimicheskoi promyshlemnosti. Leningrad, Gostoptekhizdat, 1962. 321 p. (MIRA 15:11)

(Automatic control)
(Petroleum industry—Equipment and supplies)

IVASHCHENKO, N.N.; FATEYEV, A.V., doktor tekhm. nauk, prof., retsenzent; YELISEYEV, M.S., inzh., red.; MODEL¹, V.I., tekhm. red.

[Automatic control: theory and elements of control systems.]

[Automatic control; theory and elements of control systems]
Avtomaticheakoe regulirovanie; teoriia i elementy sistem.
2., ispr. i dop. izd. Moskva, Mashgiz, 1962. 628 p.

(MIRA 15:11)

(Automatic control)

ALEKSEYEV, A.Ye.; BULGAKOV, K.V.; ZILITINKEVICH, S.I.; IVANOV, V.I.;

PÉTROV, I.I.; RYZHOV, P.I.; SYROMYATHIKOV, I.A.; TIMOFEYEV, V.A.;

SIKCHEDRIN, N.N.; PATEYEV, A.V.

Sixtieth anniversary of the birth of Dmitril Vasilievich Vasiliev.

Elektrichestvo no.3:93 Mr '62.

(Vasiliev, Dmitril Vasilievich, 1901-)

TO STORM STATE OF THE PROPERTY OF THE STATE OF THE STATE

VAVILOV, Aleksandr Aleksandrovich; SOLODOVNIKOV, Aleksey Ivanovich; FATEYEV, A.V., red.; ZHITNIKOVA, O.S., tekhn. red.

[Experimental determination of the frequency characteristics of automatic-control systems] Eksperimental'noe opredelenie chastotnykh kharakteristik avtomaticheskikh sistem. Moskva, Gosenergoizdat, 1963. 251 p. (MIRA 16:11) (Automatic control)

VASIL'YEV, D.V.; MITROFANOV, B.A.; RABKIN, G.L.; SAMOKHVALOV, G.N.; SEMENKOVICH, A.A.; FATEYEV, A.V.; CHICHERIN, N.I.; NORNEVSKIY, B.I., kand. tekhn. nauk, retsenzent; BEREZIII, S.Ya., nauchn. red.; SACHUK, N.A., red.; KRYAKOVA, D.M., tekhn. red.

[Calculation and design of servo systems] Proektirovanie i raschet slediashchikh sistem. Leningrad, Izd-vo "Sudostroenie," 1964. 606 p. (MIRA 17:4)

3 33266-65

ACCESSION NR: AP5006632

\$/0146/65/008/001/0026/0031

AUTHOR: Fateyev, A. V.; Oleynikov, V. A.; Zlatkin, V. I.; Likerman, D. I.

TITLE: Device for measuring the temperature of rotating bodies

21

SOURCE: IVUZ. Priborostroyeniye, v. 8, no. 1, 1965, 26-31

TOPIC TAGS: temperature measurement, gas turbine

ABSTRACT: A new device for measuring the temperature difference up to 300C (with a maximum absolute temperature of 700C) at two points of a disk (or a gasturbine rotor) rotating at 5000 rpm is based on two thermocouples connected in opposition on a special inductive primary detector (see Fig. 1 of Enclosure). The latter comprises a permalloy stator carrying two windings connected in opposition and supplied at 50 cps and a salient-pole rotor carrying one winding connected to the thermocouples. The rotor is mechanically coupled to the rotating turbine shaft. Thus, the detector acts as a conventional torus magnetic amplifier but has a

Card 1/3

L 33266-65

ACCESSION NR: AP5006632

0.3-mm airgap which prevents any amplification and actually is responsible for certain attenuation of the signal. Characteristics of the detector for various excitation currents and speeds (see Fig. 1) are practically flat. However, the thermocouple signal is very weak (about 12 mv or 2×10^{-10} w). Hence, the signal is fed to a special 7-transistor preamplifier supplied at 220 volts ac and consisting of a double-frequency modulator, a 3-stage amplifier proper, and a demodulator, all provided with a feedback loop. A laboratory model is reported to have shown a 3-4% error in temperature measurement. Orig. art. has: 4 figures.

ASSOCIATION: Leningradskiy elektrotecknicheskiy institut im. V. I. Ul'yanova (Lenina) (Leningrad Electrotechnical Institute)

SUBMITTED: 17Apr64

ENCL: 01


SUB CODE: PR

NO REF SOV: 002

OTHER: 001

ATD PRESS: 3207

Cord 2/3



FREYDZON, Isaak Rubinovich. Prinimali uchastiye: ARKHANCEL'SKIY, Ye.A.; ERENEV, V.F.; FATEYEV, A.V., doktor tekhn. nauk, retsenzent; TITOV, N.I., nauchn. red.; NIKITINA, M.I., red.

[Mathematical modeling of the automatic control systems of ships] Matematicheskoe modelirovanie sudovykh sistem avtomaticheskogo upravleniia. Leningrad, Sudostroenie, 1964. 423 p. (MIRA 18:2)

ATABEKOV, G.I.; BASHARIN, A.V.; POGORODITSKIY. N.P.; BUIGAKOV, K.V.;

VASIL'YEV, D.V.; YEGIATAROV, I.V.; YERMOLIN, N.P.; KOSTENKO, M.P.;

MATKHANOV, P.N.; NOVASH, V.I.; NOFNEVSKIY, B.I.; FUTSKIY, A.I.;

RYZHOV, P.I.; SOLOV'YEV, I.I.; SOLODNIKOV, G.S.; SLEPYAN, Ya.Yu.;

SMUROVA. N.V.; TINYAKOV, N.A.; FATEYEV, A.V.; FEDOSEYEV, A.M.;


SHABADASR- B.I.; SHCHEDFIN, N.N.

Viktor Ivanovich Ivanov, 1900-1964; obituary. Izv. vys. ucheb. zav.; energ. 8 no.1:122-123 Ja '65.

(MIRA 18:2)

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412510005-3



"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412510005-3




L 11336-67 ... EWT(d)/EWT(m)/EWP(k)/EWP(h)/EWP(1)/EWP(v) FDN/DJ/WE ACC NR: AP6030626 (A, N) SOURCE CODE: UR/0413/66/ SOURCE CODE: UR/0413/66/000/016/0122/0122 15 INVENTOR: Naydich, A. I.; Fateyev, B. V. ORG: none TITLE: Fuel supply regulator. Class 46, No. 185154 SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 16, 1966, 122 TOPIC TAGS: fuel control, fuel flow rate ABSTRACT: This Author Certificate introduces a fuel supply regulator consisting of a housing with a cylindrical gate valve, which includes a rectangular metering dispenser and a bushing. In order to operate on various types of fuel without changing the metering element's profile, the bushing has several openings. each of which is adapted for two kinds of metering profiles which determine the consumption rate. Orig. art. has: 1 figure. SUB CODE: 21, 13/ SUBM DATE: 29May64/ UDC: 621.438-543.3-531.9

CONTRACTOR OF THE PROPERTY OF

FAIRLET, D. I.

"Complex-Brigade Method for the Continuous Production of Residential Building Complexes." Cand Tech Sci, Khar'kov Construction Engineering Enst, Min Higher Education USSR, Khar'kov, 1955. (KL, No 10, Mar 55)


So: Sum. No 670, 29 Sept 55 - Survey of Scientific and Technical Dissertations Defended .t USSR Higher Educational Institutions (15)




。1973年中共共和国的政治的,1975年,19

FATEYEV, D. S., Cand. Medic. Sci. (diss) "Experimental Observations of Stomach Secretions with Bronchic-lung Novocaine Blockage," Tomsk, 1961, 19 pp. (Omsk Med. Inst.) 250 copies (KL Supp 12-61, 289).

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"






FATEYEV, F.G. [Faticiev, F.H.]

Experimental methods for lengthening the life of glass furnaces.

Leh.prom. no.3:55-57 Jl-S '63. (MIRA 16:11)

1. Kiyevskiy steklovarennyy zavod.



SAMOYLOV, D., kand. tekhn. nauk; FATEYEV, I., inzh.

Let's give better satisfaction to the requirements of passengers.
Zhil.-kom. khos. 12 no.3126-27 Mr '62. (MIRA 15:10)

(City traffic)

VORONIN, K.P., tekhn.red.

[Blectric power; popular study] Elektroenergetika; populiarnyi ocherk. Moskva, Gos.energ.izd-vo, 1960. 215 p.


(Electric power)

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

FATEYEV, K. Ya.

Fateyev, K. Ya. "On the further improvement of rabbit-raising on kolkhozes," Karakulevodstvo i zverovodstvo, 19h9,
No. 2, p. 48-51.

So: U-3736, 21 May 53, (Letopis 'Zhurnal 'nykh Statey, No. 17, 1949).



FATEYEV, K.Ya.

Acclimatization of fur-bearing animals in some regions of the U.S.S.R. Zool. shur. 39 no.8:1236-1238 Ag *60. (MIRA 13:8)

1. Department of Zoology. Kostroma State Pedagogical Institute. (Kostroma Province--Fur-bearing animals) (Udmurt A.S.S.R.--Fur-bearing animals)

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"

*P.ANTEST TO THE CONTROL OF THE CONT

FATEYEV, K.Ya.; KHROMOVA, M.V.; TUZOVA, L.S.


Variability of internal organs in the silver fox (Vulpes fulvus Decm.). Zool.shur. no.7:1090-1098 Jl '61. (MIRA 14:7)

l. Department of Zorlogy, State Fedagogical Institute of Kostroma.
(Silver Yox) (Viscera)

FATEYEV, K.Ya. Morpho-biological changes in rabbits induced by different environmental conditions. Zhur. ob. biol. 22 no.5:388-391 S-0 61. (MIRA 14:9) 1. Kafedra zoologii Kostomskogo gosudarstvonnogo pedagogicheskogo

instituta. (ZOOLOGY_VARIATION) (RABBITS)


APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412510005-3"




BORISOV, A.M.; MERZHVINSKAYA, Ye.P.; FATEYEV, M.N.


Types of loaders of continuous action for agriculture. Trakt.
i sel'khozmash. 33 no.6:35-38 Je '63. (MIRA 16:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut sel'skokhozyayst-vennogo mashinostroyeniya.
(Loading and unloading)
(Agricultural machinery)





FATEIEV, M.H., insh. T R-30 pneumatic conveyor. Trakt.i sel'khosmash. 31 no.8:42-43 (MIRA 14:7) Ag '61. 1. Vsesoyusnyy namchno-issledovatel'skiy institut sel'skokhosyaystvennogo mashinostroyeniya. (Passantio-tube transportation)



LIFOV, Yu.H. ALTEY, M.N.

Rotary feeder for a continuous action loader. Trakt, i sel'khozmash.

no.4:40 Ap '65.

1. Vsesoyuznyy naurhno-issledovatel'skiy institut sel'skokhozyaystvennogo mashinostroyeniya.

THE TOTAL	N.P.				
	2 d	PRASE I BOOK EXPLOITATION SOV/1732 (Leningrad, Glavnaya geofisiohookaya observatoriya			
		Metodira metaerelegisheskikh nablyudeniy (Methodology of Metaerel Observations) Loningrad, Gidrometeologat, 1956. 123 p. (Seriel Its: Trudy, vyp. 61 //22/ 1.400 codies 1976. 123 p. (Seriel	ogionl		
÷	< 3	Sponsoring Agency: USSR. Clarroys upravionity gidrometeorologiche plumby	elkey		
	•	Ed. (title page); E.I. Pivevareva, Gandidate of Geographical Selen Ed. (incide book); To. I. Okseneva; Took, Ed.; E.F. Skumikkin. FURFORM: This collection	1000)		
		GOVERAGE: The publication contains scientific articles on the mott of meteorologic observations and on the procedure of testing meteorological instruments. The possibility of reducing the error and thus securing more ascurate results in observations are she portable instrument that would be capable of instantly recerting cloud height is emphasized. The articles are ascentained by Table Of GOMZERUS;	in, hade vro :	T.	
		Röpanev, I.D. Computation Toots for Turbulent Printies D'yachenko, P.V. A Resouring . Busine for Testing Name Assessmenters	103		
		Pokrovskaya, I.A. Overheating the Astinometric Instruments in Relation to Air Temperature Languvskaya, M.A., and I.A. Pokrovskaya. Errors in Checking the Thermoelectric Astinometers and Pyranemeters	115		
		Vereb'ev, I. Ye. Bryers in Surface Seroury Theremeters	120		
	i	Palarny, H.P. Methodology for Determining the Altitude of the	135		
	1	Vereb'er, I.Te. Clead Beight	137		
	1	Gard 3/A	143		

